








REV:	ECN. NO.	NAME	DATE



NOTES:

MATERIAL:
 CAGE: NICKEL SILVER, THICKNESS 0.25mm
 LIGHT PIPE: POLYCARBONATE, COLOR: CLEAR.
 CONNECTOR:
 PLASTIC HOUSING: HIGH TEMPERATURE LCP, UL94 V-0.
 SPRING: STAINLESS STEEL, THICKNESS 0.20mm
 CONTACTS: PHOSPHOR BRONZE, THICKNESS 0.20mm
 PLATING: 15μ" MIN. GOLD ON MATING AREA,
 150μ" MIN. MATE TIN ON SOLDER TAILS.
 PACKAGING: TRAY PACKAGING.
 TEMPERATURE RANGE: -40°C TO +85°C




DETAIL A
1:1

GENERAL TOLERANCE .X±0.20 .X±1° .XX±0.15 .XX±5° .XXX±0.10		VITALCON a vital connector company		FOR YOUR VITAL CONNECTION	
DRAWN BY: Zou Long		TITLE: SFP 2X6 CAGE+CONNECTOR		PART NO: S1N3G00200BA4	
CHECKED BY: Bob		UNIT:mm		REV: A	
APPROVED BY: QPF		PROJECTION		SHEET:1 OF 3	
				FCN: A4	
				http://www.vitalconn.com	

For technical support, please send an email to support@vitalconn.com



REV:	ECN. NO.	NAME	DATE



THE ENTIRE AREA OF THE CONNECTOR FOOTPRINT TO BE CONSIDERED THE KEEP OUT AREA FOR COMPONENTS (OTHER THAN LIGHT PIPE LE'S) THIS AREA IS INDICATED BY THE ADSDHED LINE

ECOMMENDED PCB CONFIGURATION





- NOTES:
- 1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
 - 2. 1.05 mm DIAMETER HOLES ARE CHASSIS GROUND.

GENERAL TOLERANCE .X±0.20 .X±1° .XX±0.15 .XX±5° .XXX±0.10		VITALCON a vital connector company		FOR YOUR VITAL CONNECTION	
DRAWN BY: Zou Long		TITLE: SFP 2X6 CAGE+CONNECTOR		PART NO: S1N3G00200BA4	
CHECKED BY: Bob		SIZE: A4		UNIT:mm	
APPROVED BY: QPF		PROJECTION		SHEET:2 OF 3	
				FCN: A4	
				http://www.vitalconn.com	

For technical support, please send an email to support@vitalconn.com



REV:	ECN. NO.	NAME	DATE



GENERAL TOLERANCE .X±0.20 .X±1° .XX±0.15 .XX±5° .XXX±0.10		VITALCON a vital connector company		FOR YOUR VITAL CONNECTION	
DRAWN BY: Zou Long		TITLE: SFP 2X6 CAGE+CONNECTOR		REV: A	
CHECKED BY: Bob		PART NO: S1N3G00200BA4		FCN: A4	
APPROVED BY: QPF		SIZE: A4		UNIT:mm	
		PROJECTION		SHEET:3 OF 3	
				http://www.vitalconn.com	

For technical support, please send an email to support@vitalconn.com

1	2	3	4	5	6	7	8
A	B	C	D	E	F	A	B
1	2	3	4	5	6	7	8